L Number	Hits	Search Text	DB	Time stamp
5	6330	(358/1.13-1.15).ccls.	USPAT;	2004/02/27
			US-PGPUB;	13:12
			EPO; JPO;	
			DERWENT;	
7	12	//250/1 12 1 15) gala) and ///naint65	IBM_TDB USPAT;	2004/02/27
'	12	((358/1.13-1.15).ccls.) and (((print\$5 near6 (error\$5 failur\$5 problem\$5)) with	US-PGPUB;	13:13
1		(answer\$5 solution\$5 resolv\$5 recover\$5)	EPO; JPO;	13.13
		same (network\$5 with printer\$5)) and	DERWENT;	i
		@ad<19990122)	IBM TDB	
6	29		USPĀT;	2004/02/27
		problem\$5)) with (answer\$5 solution\$5	US-PGPUB;	13:14
		resolv\$5 recover\$5) same (network\$5 with	EPO; JPO;	
		printer\$5)) and @ad<19990122	DERWENT; IBM TDB	
_	18	(network\$5 with printer\$5) same (failur\$5	USPAT;	2004/02/13
	1	error\$5 problem\$5) same (solution\$5	US-PGPUB;	14:09
		answer\$5 resolution\$5 correspond\$5	EPO; JPO;	
		resolv\$5) same (internet\$5 URL\$5	DERWENT;	
		websit\$5)	IBM_TDB	
-	3	(\	USPAT;	2004/02/13
1		(failur\$5 error\$5 problem\$5) same (solution\$5 answer\$5 resolution\$5	US-PGPUB; EPO; JPO;	14:09
		correspond\$5 resolv\$5) same (internet\$5	DERWENT;	
1		URL\$5 websit\$5)) and @ad<19990122	IBM TDB	
_	198		USPAT;	2004/02/13
		error\$5 problem\$5) same (solution\$5	US-PGPUB;	14:09
		answer\$5 resolution\$5 correspond\$5	EPO; JPO;	
		resolv\$5)	DERWENT;	
		(/	IBM_TDB	2004/02/12
-	93	((network\$5 with printer\$5) same (failur\$5 error\$5 problem\$5) same	USPAT; US-PGPUB;	2004/02/13
		(solution\$5 answer\$5 resolution\$5	EPO; JPO;	14:09
		correspond\$5 resolv\$5)) and @ad<19990122	DERWENT;	
			IBM TDB	
] -	15616	1 ,	USPAT;	2004/02/13
		(solution\$5 answer\$5 resolution\$5	US-PGPUB;	14:10 .
		countermeasur\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
-	2	(((network\$5 with printer\$5) same	USPAT;	2004/02/13
		(failur\$5 error\$5 problem\$5) same	US-PGPUB;	15:16
		(solution\$5 answer\$5 resolution\$5	EPO; JPO;	
	İ	correspond\$5 resolv\$5)) and @ad<19990122)	DERWENT;	
		and ((internet\$5 websit\$5 url\$5) with	IBM_TDB	
		(solution\$5 answer\$5 resolution\$5		
	9799	countermeasur\$5)) (print\$5 with (error\$5 problem\$5	USPAT;	2004/02/13
	9,39	failur\$5)) same (solution\$5 answer\$5	US-PGPUB;	14:11
1		resolution\$5 countermeasur\$5)	EPO; JPO;	
1		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
-	3026	(network\$5 with printer\$5) same	USPAT;	2004/02/13
		(internet\$5 URL\$5 websit\$5)	US-PGPUB;	14:11
			EPO; JPO; DERWENT;	
			IBM TDB	
-	83	((print\$5 with (error\$5 problem\$5	USPAT;	2004/02/13
[failur\$5)) same (solution\$5 answer\$5	US-PGPUB;	14:11
		resolution\$5 countermeasur\$5)) and	EPO; JPO;	
		((network\$5 with printer\$5) same	DERWENT;	
	23	<pre>(internet\$5 URL\$5 websit\$5)) (((print\$5 with (error\$5 problem\$5</pre>	IBM_TDB	2004/02/12
-	23	(((print\$5 with (error\$5 problem\$5 failur\$5)) same (solution\$5 answer\$5	USPAT; US-PGPUB;	2004/02/13 14:21
		resolution\$5 countermeasur\$5)) and	EPO; JPO;	17.41
		((network\$5 with printer\$5) same	DERWENT;	
1		(internet\$5 URL\$5 websit\$5))) and	IBM_TDB	
		@ad<19990122		

	173	(print\$5 near6 (error\$5 failur\$5	USPAT;	2004/02/13
		problem\$5)) same (answer\$5 solution\$5	US-PGPUB; EPO; JPO;	15:47
		resolution\$5 instruction\$5 resolv\$5 recover\$5 information\$5) same (internet\$5	DERWENT;	
		websit\$5 URL\$5)	IBM TDB	1
_	25		USPĀT;	2004/02/13
		problem\$5)) same (answer\$5 solution\$5	US-PGPUB;	15:22
		resolution\$5 instruction\$5 resolv\$5	EPO; JPO;	
		recover\$5 information\$5) same (internet\$5	DERWENT;	
	2224	websit\$5 URL\$5)) and @ad<19990122	IBM_TDB	2004/02/12
] -	3114	<pre>(print\$5 near6 (error\$5 failur\$5 problem\$5)) with (answer\$5 solution\$5</pre>	USPAT; US-PGPUB;	2004/02/13
		resolv\$5 recover\$5)	EPO; JPO;	10.01
		10001440 1000401407	DERWENT;	
			IBM TDB	
-	3113	(network\$5 with printer\$5) same	USPĀT;	2004/02/13
		(internet\$5 HTTP\$5 URL\$5 websit\$5 web\$5	US-PGPUB;	15:50
		near2 sit\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
_	47	((print\$5 near6 (error\$5 failur\$5	USPAT;	2004/02/13
]	problem\$5)) with (answer\$5 solution\$5	US-PGPUB;	15:56
		resolv\$5 recover\$5)) and ((network\$5 with	EPO; JPO;	
		printer\$5) same (internet\$5 HTTP\$5 URL\$5	DERWENT;	
		websit\$5 web\$5 near2 sit\$5))	IBM_TDB	0000405455
-	5	, , = = = = = , = = = = = , = = = = =	USPAT;	2004/02/13
		problem\$5)) with (answer\$5 solution\$5 resolv\$5 recover\$5)) same ((network\$5	US-PGPUB; EPO; JPO;	15:51
		with printer\$5) same (internet\$5 HTTP\$5	DERWENT;	l j
		URL\$5 websit\$5 web\$5 near2 sit\$5))	IBM TDB	
-	8		USPĀT;	2004/02/13
		problem\$5)) with (answer\$5 solution\$5	US-PGPUB;	16:02
		resolv\$5 recover\$5)) and ((network\$5 with	EPO; JPO;	
		printer\$5) same (internet\$5 HTTP\$5 URL\$5	DERWENT;	
		websit\$5 web\$5 near2 sit\$5))) and @ad<19990122	IBM_TDB	
_	5187	(print\$5 near6 (error\$5 failur\$5	USPAT;	2004/02/13
	310,	problem\$5)) same (answer\$5 solution\$5	US-PGPUB;	16:04
		resolv\$5 recover\$5)	EPO; JPO;	
			DERWENT;	
		44 4 105 411 4 05	IBM_TDB	0004/00/12
-	62	((network\$5 with printer\$5) same (internet\$5 HTTP\$5 URL\$5 websit\$5 web\$5	USPAT; US-PGPUB;	2004/02/13
		near2 sit\$5)) and ((print\$5 near6	EPO; JPO;	16:01
		(error\$5 failur\$5 problem\$5)) same	DERWENT;	
		(answer\$5 solution\$5 resolv\$5 recover\$5))	IBM_TDB	
-	7	((network\$5 with printer\$5) same	USPAT;	2004/02/13
		(internet\$5 HTTP\$5 URL\$5 websit\$5 web\$5	US-PGPUB;	16:01
		near2 sit\$5)) same ((print\$5 near6 (error\$5 failur\$5 problem\$5)) same	EPO; JPO;	1
		(errorss failurss problemss); same (answer\$5 solution\$5 resolv\$5 recover\$5))	DERWENT; IBM TDB	
_	11		USPAT;	2004/02/13
	i	(internet\$5 HTTP\$5 URL\$5 websit\$5 web\$5	US-PGPUB;	16:02
		near2 sit\$5)) and ((print\$5 near6	EPO; JPO;	
		(error\$5 failur\$5 problem\$5)) same	DERWENT;	
		(answer\$5 solution\$5 resolv\$5 recover\$5))) and @ad<19990122	IBM_TDB	
_	3		USPAT;	2004/02/13
		(internet\$5 HTTP\$5 URL\$5 websit\$5 web\$5	US-PGPUB;	16:02
		near2 sit\$5)) and ((print\$5 near6	EPO; JPO;	
		(error\$5 failur\$5 problem\$5)) same	DERWENT;	
		(answer\$5 solution\$5 resolv\$5	IBM_TDB]
		recover\$5))) and @ad<19990122) not		
		((((print\$5 near6 (error\$5 failur\$5 problem\$5)) with (answer\$5 solution\$5		
		resolv\$5 recover\$5)) and ((network\$5 with		
		printer\$5) same (internet\$5 HTTP\$5 URL\$5		
		websit\$5 web\$5 near2 sit\$5))) and		
		@ad<19990122)		

-	68	(print\$5 near6 (error\$5 failur\$5 problem\$5)) with (answer\$5 solution\$5	USPAT; US-PGPUB;	2004/02/13
		resolv\$5 recover\$5) same (network\$5 with	EPO; JPO;	
		printer\$5)	DERWENT;	
_	0		USPAT;	2004/02/13
		problem\$5)) with (answer\$5 solution\$5	US-PGPUB;	16:04
		resolv\$5 recover\$5) same (network\$5 with printer\$5)) and @ad<1990122	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1028	((print\$5 near6 (error\$5 failur\$5 problem\$5)) with (answer\$5 solution\$5	USPAT; US-PGPUB;	2004/02/13
		resolv\$5 recover\$5)).ab.	EPO; JPO;	10.13
	}		DERWENT;	
_	21420	printer\$5 with network\$5	IBM_TDB USPAT;	2004/02/13
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	16:12
			EPO; JPO; DERWENT;	
			IBM TDB	
-	52		USPĀT;	2004/02/13
		problem\$5)) with (answer\$5 solution\$5 resolv\$5 recover\$5)).ab.) and (printer\$5	US-PGPUB; EPO; JPO;	16:12
		with network\$5)	DERWENT;	
<u>_</u>	19	((((print\$5 near6 (error\$5 failur\$5	IBM_TDB USPAT;	2004/02/13
_	19	((((print()) hear6 (error() failur()) problem()) with (answer() solution()	US-PGPUB;	16:16
		resolv\$5 recover\$5)).ab.) and (printer\$5	EPO; JPO;	
		with network\$5)) and @ad<19990122	DERWENT; IBM TDB	
-	1602	1 1 1 1	USPAT;	2004/02/13
		<pre>problem\$5)) same (answer\$5 solution\$5 resolv\$5 recover\$5)).ab.</pre>	US-PGPUB; EPO; JPO;	16:16
		lesolv43 lecover43//.ab.	DERWENT;	
	7.0	(IBM_TDB	2004/02/12
-	79	(printer\$5 with network\$5) and (((print\$5 near6 (error\$5 failur\$5 problem\$5)) same	USPAT; US-PGPUB;	2004/02/13 16:16
		(answer\$5 solution\$5 resolv\$5	EPO; JPO;	
		recover\$5)).ab.)	DERWENT; IBM TDB	
-	33		USPAT;	2004/02/13
		(((print\$5 near6 (error\$5 failur\$5 problem\$5)) same (answer\$5 solution\$5	US-PGPUB; EPO; JPO;	16:20
		resolv\$5 recover\$5)).ab.)) and	DERWENT;	
		@ad<19990122	IBM_TDB	2004/02/12
-	14	(((printer\$5 with network\$5) and (((print\$5 near6 (error\$5 failur\$5	USPAT; US-PGPUB;	2004/02/13 16:19
		problem\$5)) same (answer\$5 solution\$5	EPO; JPO;	
		resolv\$5 recover\$5)).ab.)) and @ad<19990122) not ((((print\$5 near6	DERWENT; IBM TDB	
		(error\$5 failur\$5 problem\$5)) with	-2122	
		(answer\$5 solution\$5 resolv\$5 recover\$5)).ab.) and (printer\$5 with		
		network\$5)) and @ad<19990122)		
-	1419	printer\$5 with (error\$5 failur\$5	USPAT;	2004/02/13
		<pre>problem\$5 defect\$5) same (solution\$5 answer\$5 countermeasur\$5)</pre>	US-PGPUB; EPO; JPO;	16:20
	1		DERWENT;	
_	810	 printer\$5 with (error\$5 failur\$5	IBM_TDB USPAT;	2004/02/13
	310	problem\$5 defect\$5) with (solution\$5	US-PGPUB;	16:20
		answer\$5 countermeasur\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
_	92	•	USPAT;	2004/02/13
		problem\$5 defect\$5) with (solution\$5 answer\$5 countermeasur\$5) same	US-PGPUB; EPO; JPO;	16:20
		(display\$5)	DERWENT;	
			IBM TDB	

 40 (printer\$5 with (error\$5 failur\$5	USPAT;	2004/02/13
problem\$5 defect\$5) with (solution\$5	US-PGPUB;	16:41
answer\$5 countermeasur\$5) same	EPO; JPO;	
(display\$5)) and @ad<19990122	DERWENT;	
	I IBM TDB	ł